


Release Notes



Contents

New Features / Enhancements	1
Fixed Issues	7
Known Issues	14
Patch Deployment Instructions	15
System & Environment Requirements	17

1 New Features / Enhancements

Info Input Solution is a web-based scanning software solution that enables users to scan documents from any remote location and deliver the captured information to an Enterprise Content Management system, for storage or further processing.

New features in Info Input Solution v6.3.11:

Export Service:

- FileNet P8: Added the ability to create folders dynamically during export.
- FileNet P8: Added the ability to export documents with multiple FileNet content elements.

Authentication Service:

• Added check that validates the application.yml file before the Authentication Service starts.

Scan / Import:

• Images with more than 32bpp will be converted to 24bpp when imported.

New features in Info Input Solution v6.3.10:

HTML Client:

• Added a new option to the *Open, Select Next Indexing task*, and *Batch Manager* windows, to copy all the rows to Clipboard.

Authentication Service:

• Added a soft timeout parameter to end the session with the Authentication provider within a specified amount of time.

Thick Client / HTML Client:

• Added the ability to change the format of the *created*, *locked on*, and *custom date fields* in the *Batch Manager, Open, and Select Next Indexing task* windows. Introduced the following Server Configuration parameters to configure these changes:

scanapp.client.node_createdate_format

- scanapp.client.node_lockeddate_format
- scanapp.client.node_customdate1_format
- scanapp.client.node_customdate2_format
- scanapp.client.node_customdate3_format

New features in Info Input Solution v6.3.9:

Export Service:

- Images Export: Added the PDF/A-1a, PDF/A-2a, and PDF/A-3a as options to the File Format configuration.
- SharePoint Online: Added support for the Managed Metadata/ Taxonomy column types.
- OpenText File360: Implemented new logic to retain the folder structure of the exported documents. This

functionality can only be achieved when the export is configured at the Document Class.

Batch Manager:

- Implemented a Filter functionality, similar to the one already existed in the *Open* and *Select Next Indexing Task* windows.
- Added a max-rows option to limit the number of the displayed results.

HTML Client:

• When copying row data from the *Open, Select Next Indexing Task*, or *Batch Manager* windows, tab characters will be added between each column, so the results can be inserted to different cells when pasted in an Excel sheet.

Extraction / Intelligent OCR:

• Microsoft Form Recognizer: Changed the label of the Document OCR model from OCR to OCR Read.

New features in Info Input Solution v6.3.8:

Export Service:

- FileNet P8: Added the option to delete the output images when the export is successfully finished.
- FileNet P8: Added two new options in the configuration GUI for the Connect Timeout and the Read Timeout properties.
- SharePoint Online: Added support for the Microsoft Content Types.

Database:

- Optimized the query that saves the document statistics in the database.
- Added an Index in the StatsNodeSessi ons table.
- Upgraded the PostgreSQL libraries to the latest 42.6.0 version.

New features in Info Input Solution v6.3.6:

Import Service:

• The validation check for eSigned PDFs will be disabled by default.

Task Filtering:

- Enhanced the I BatchFilter object to use custom SQL clause. Detailed explanation can be found in the Developer's Guide.
- Added the Batch Mode as an option in all filters.

Export Service:

- Box Export: Optimized the file and folder path discovery during export.
- Documentum DFC: Upgraded the DFC libraries to version 22.2.

Extraction / Intelligent OCR:

• Amazon Textract: Added support for invoice extraction in multi-page documents.

New features in Info Input Solution v6.3.5:

HTML Client:

- Documentum DFCRPC: Enhanced the plugin to also work at the HTML Client.
- Scanner Imprinter: Added the ability to enable/disable the imprinting functionality for each scan profile.
- Home Screen Tab: Added the collapsedGroups parameter as the returned value for the getHomeMenul tems function of the Global Script. This parameter will decide which Home Screen items will be collapsed (or not) by default.
- Home Screen Tab: The grid columns customization is only preserved for Administrative Users.

Extraction / Intelligent OCR:

- Hyperscience: The page rotation limit is changed to unlimited.
- Microsoft Form Recognizer: Added support for Table Extraction in the Azure Custom Models.

Export Service:

- OpenText File360: Added the ability to modify the batchname of the output path.
- Box Export: Optimized the folder patch discovery mechanism for better performance.

Database:

• Modified index on Nodes table to use priority on descending order, to optimize the performance.

API / Scripting:

• Introduced the methods setI mageWi dth and setI mageHeight in the public API for the I Page interface.

Barcode Detection:

• Linux: Upgraded the BarDecode engine to the latest 9.2.2 version.

New features in Info Input Solution v6.3.4:

Thick Client:

• Added the *Apply* and *Save and Close* buttons to the Global Script scripting editor.

HTML Client:

- Introduced the new Home Screen View feature. The scannapp. cl i ent. html . homevi ew_enabl ed server configuration parameter has been added, to enable / disable this feature.
- Added the scanapp. client. html. defaul t_browser_context_menu_in_indexing server configuration parameter to enable/disable the context menu that is opened when the right-click is pressed on an Index field.

Licensing:

• Added the page count limit property in the Licensing Administration window.

API / Scripting:

• Added the getHomeMenul tems and getGridCustomizationsfunction in the Global Script that allows the Home Screen items customization.

Application:

• Added system level custom fields applicable for all nodes. Detailed documentation can be found at the jsdoc and javadoc.

Batch Manager:

• Added the ability to promote a batch to use the latest published version of its Job.

New features in Info Input Solution v6.3.3:

API / Scripting:

• Added the ability to update a Task's (folder-document) priority through scripting, using the getPri ori ty and setPri ori ty methods.

HTML-Client:

• The scan profile native window is blocked from opening when the batch is at an Index step.

Export Service:

• Foxit Rendition: Added enhanced logging information and introduced a second file deletion attempt to avoid cases where the file is locked from a different transaction.

New features in Info Input Solution v6.3.2:

HTML-Client:

• Get Next Indexing Tasks: The button *Close and get next waiting item* will fetch an item from the specific task queue that the currently opened item came from, in case of a customized Next Index Task configuration.

Import Service:

• The Import Service polling logic will not wait for the polling period on the first cycle.

API / Scripting:

- The function endNodeI ndexi ng can now be used to handle promise responses.
- The function **batchCreated** can now be used to handle promise responses.

New features in Info Input Solution v6.3:

HTML-Client:

- Added support for the Imprinter Functionality with Pix Tools for Web.
- Added the ability to customize the keyboard shortcuts globally for all users.
- Added support for the Split Batch functionality.
- Added the ability to apply custom Filters for the *Select Next Indexing task* and *Open* dialogs.

Extraction / Intelligent OCR:

- Added support for the ABBYY Vantage OCR engine for OCR and Intelligent Document Processing (IDP).
- Added support for the Microsoft Form Recognizer Custom Models.
- Upgraded to the latest Microsoft Recognizer dependency and added support for general forms parsing.
- Added support to automatically map Table index fields with Table field results received from the OCR engines.

Workflow:

- Added new functionality for Review/Rescan step.
- Added support for the Google Document AI Splitter engine.

Authentication:

- Added support for the modern authentication methods in the Thick Client.
- Added the ability to extract the full user name when authenticating with Active Directory.
- Added the ability to map multiple user accounts to a single login.
- Modern Authentication: Added the ability to create custom error pages when the Authentication fails.

Batch Manager:

- Added more granular permission for the Batch Manager.
- Added additional Batch Manager customizations, globally define columns grouping, columns order.
- Display the Tasks/Nodes Description in the Batch Manager columns.
- Added the ability to open batches in read-only mode without locking them.

Job Setup:

- Separated the rasterization options for PDFs and MS Office files.
- Improved the way that the extraction profiles validates the username and password.

Export Service:

- SharePoint Online: enhance the upload communication to use a transactional behavior.
- File/Folder Move: enhanced the plugin with functionality to also delete the exported files.

Import Service:

- Kodak INfuse: Added an option to leave the feedback message(s) that are sent to the scanner open.
- Kodak INfuse: Added the ability to configure the initial *Batch Created* feedback message configurable per Job.
- Kodak INfuse: Added the ability to send additional message(s) to the scanner based on the initial processing performed.

- Kodak INfuse: Added the ability to create/update an INfuse plugin from the configuration window.
- Kodak INfuse: Added the ability to configure multiple INfuse import configurations for different Job Setups.
- Kodak INfuse: Added a vertical scrollbar in the Configuration window.

Thick Client:

• Added an explanatory description for every Server Configuration parameter.

Databases:

• Improvements in Oracle DB utilization to enhance the performance.

2 Fixed Issues

Fixed Issues in Info Input Solution v6.3.11:

Intelligent OCR / Extraction:

- Azure Form Recognizer: added a max timeout duration of 5 minutes when sending documents with 3 pages or less to Microsoft.
- Azure Form Recognizer: a Null PointerException error is produced with the pre-built invoice parser on some rare occasions.

Image Enhancements:

• Incorrect deskew causes specific images to fail in the Auto-rotate Image operation.

HTML Client:

• It is possible to invoke barcode detection before the scanned image is successfully uploaded.

Fixed Issues in Info Input Solution v6.3.10:

HTML Client:

- Home Tab: After opening and closing a batch from the Batch Manager, the Browse screen is displayed instead of the Home Screen.
- Images with no DPI information fail to be imported.
- The Despeckle, Fill PunchHoles, and FlipPage enums are not passed as parameters in the isContextActionEnabled hook function of the Job Script.
- Advanced Indexing Forms: The fieldFocusLost hook function is not executed when tabbing out from an index field, if the next item is a custom component, such as a button.
- Advanced Indexing Forms: The *Help Tip* tool tip is not displayed when hovering the mouse over an index field.
- When trying to save an eDoc with a non-Latin filename, the output filename is wrong.
- The dropdown selections do not close with a second mouse click.

Intelligent OCR / Extraction:

- Microsoft Form Recognizer: The Address fields fail to be extracted using the pre-built Invoice parser.
- Extraction: The batch will not move to permanent error even if the volume license tokens are depleted.
- Microsoft Form Recognizer: Specific invoices fail with Null PointerException due to empty table fields returned from the Microsoft engine.
- Microsoft Form Recognizer: Extraction fails with NullPointerException if the Extraction profile is created from the Intelligent OCR category in the Job Setup.

Batch Manager:

• The *Change Step* action is not allowed if the batch is in Processing state.

Export Service:

• Images Export: The compression that is configured in the Job Setup, is not applied during export, when a tiff image is imported with LZW compression.

Core Service:

• Batches with higher priority are processed after up to be processed first in a Server-side Script step.

Fixed Issues in Info Input Solution v6.3.9:

Classification:

- The Classification designer was not using the same font that was defined for the rest of the Client.
- Fixed typo errors in the Classification designer.
- The page. spl i tDocument execution time linearly increases with the number of pages under the document.

Core Service:

• The Failed to load next task error is displayed to the end user, when trying to *Submit and Get Next Indexing task*.

HTML Client:

- The Copy To Clipboard'action may overflow the browser's viewport.
- When enabling the *Show only profiles appropriate for your scanner* option, the override options on the HTML Client local scan profiles are disabled.
- When disabling the *Show only profiles appropriate for your scanner* option, the override options on the local scan profiles pop up menu, do not become available again.
- The local scan profile override options are reset upon reopening the override options dialog on local scan profiles.
- Task Filtering: The sorting list does not contain all the available options if the *Clear conditions and sorting options* button is pressed.
- Task Filtering: Changed the label of the buttons Add/Remove/Replace to write *conditions* instead of filters.
- Task Filtering: The 3rd sorting box still contains an option that is already selected in one of the two previous sorting boxes.
- Advanced Indexing Forms: The Review icon is not displayed for multi-value index fields.
- An eDoc file fails to be downloaded from the HTML Client, if it was previously imported from the Thick Client or the Import Service.

Extraction / Intelligent OCR:

- The extraction fails with FileNotFoundException exception on random documents in large batches, if they are previously forked..
- Microsoft Computer Vision: Fixed the deserialization error when doing OCR.
- Intelligent OCR: The node properties are not changed from within the onOCRError() hook function.

Export Service:

• The error ClassNotFound is displayed when trying to load an external library with the custom Class

loader.

Scan / Import:

• Specific tiff images are rotated 180 degrees upon imported to the Clients.

Fixed Issues in Info Input Solution v6.3.8:

Extraction / Intelligent OCR:

- The onOCRError hook function of the Intelligent OCR Workflow step returns the Batch object as argument, instead of the Document or Page.
- Microsoft Form Recognizer: The values extracted for ID cards are not always the same as the ones returned from the engine.

HTML Client:

- Advanced Indexing Forms: The confidence indicator in Table cells cannot be removed even if the corresponding setting is disabled in the Job Setup configuration.
- Home Screen: Dragging and dropping a column header in the UI causes it to disappear from the window.
- The Folder Class selection dropdown list does not display the correct Folder Class names.
- When navigating through the nodes in the Indexing panel, the wrong node may be displayed in the View, if the previous node contained hidden index fields.
- A user is not able to copy the row data from the *Open, Select Next Indexing Task*, and *Batch Manager* windows.

Export Service:

• Nuance: When creating Searchable PDF/A files using Nuance, the JPEG2000 Lossless compression type is not applied.

Job Setup:

• A Job fails to be published with a j ava. I ang. Null PointerException: null error message, when no Extraction profile is selected to be used inside an Intelligent OCR Workflow Step.

Fixed Issues in Info Input Solution v6.3.7:

Job Setup:

• The error org. hibernate. exception. ConstraintViolationException: could not execute batch may show up when trying to save a Job Setup with a specific Job configuration.

Task Filtering:

• In case the batch is opened from a Home Screen grid, the Close and get Next Waiting item button does not fetch a task from the same queue as the working batch.

Workflow:

• Cannot open batches from Jobs that contain a Branching step.

Extraction / Intelligent OCR:

• Microsoft Form Recognizer: The raw data JSON file received from the engine becomes very big in some cases.

Fixed Issues in Info Input Solution v6.3.6:

Image Enhancements:

• Certain images failed during the *AutoRotate* or *Remove Black Border* image operations when trying to read information from the ICC profile.

HTML Client:

- Home Screen: When the getHomeMenul tems function of the Global Script does not return any arguments, the error Return value from getHomeMenul tems() is undefined is displayed in the Browser console.
- Home Screen: When a search in the Task list does not return any matched rows, a Cannot read properties of undefined exception occurs.
- Task Filtering: The number fields accept alphanumeric string values.
- Some of the advanced barcode settings are not applied in the HTML Client.

Core Service:

• When multiple Clients try to lock the same task using the *Get Next Indexing Task* functionality, the Error in getNextNode: scanserver.model.ScanServerException: Error while trying to lock process error is produced.

Task Filtering:

• The Close and get Next Waiting item button does not fetch a task from the same queue as the working batch.

Extraction /Classification / Intelligent OCR:

- Microsoft Custom Models: The Intelligent OCR process fails when the *Save OCR* checkbox is not selected in the extraction profile.
- Microsoft Custom Models: The Table extraction failed due to missing confidence value.
- Nuance OCR: The Keyword Classification failed in cases where the keyword zone was close to the template image's edge.
- Nuance OCR: Changed the confidence calculation for Zonal Extraction.

Database:

• SQL Server: The *Get Next tasks* operation takes a long time to fetch items when there is a large amount of tasks in the queue.

Scan / Import:

- A specific type of container PDF fails to be rasterized during import.
- If a PDF file fails to be rasterized during import, it is not imported as an eDOC.
- Specific images from old Fax machines are stretched after import.

Fixed Issues in Info Input Solution v6.3.5:

HTML Client:

• Home Screen Tab: The Search Bar inside the Home Screen does not work.

Export Service:

- OpenText Content Server: The folder categories are not carried along the exported documents. on some rare occasions.
- The Images Export output path may get changed if a change in the Release Destination is made while a batch is already in export processing.

Scan / Import:

- The DPI information is changed if the imported image does not have the DPI encoded but it carries it in the EXIF data instead.
- The password protected zip files fail to be imported.

Classification:

• The Classification fails when an image smaller than the Feature Classification anchor area is used.

Core Service:

• The custom jars are not loaded if they are placed under the extlib directory.

Extraction / Intelligent OCR:

• Microsoft Form Recognizer: Batches are stuck in Processing state at the Intelligent OCR step.

Fixed Issues in Info Input Solution v6.3.4:

HTML Client:

- Specific MS Excel files are falsely identified as zip files.
- Specific validly singed PDFs are shown as invalid when imported in the HTML Client.

Thick Client:

• Patch codes with large quite zones fail to be recognized.

Extraction / Intelligent OCR:

- Microsoft OCR: An extraction profile fails to be authenticated if the endpoint URL contains space characters at the end.
- ABBYY Vantage: The core service tries to communicate with ABBYY indefinitely if a batch is deleted from the Batch Manager.
- Hyperscience: A batch stays in Processing state forever, if the submission is deleted from Hyperscience before it's finished.
- Hyperscience: Specific PDF documents will cause the process to fail with scancommon. extract.

OcrException: No segments in page or j ava. Lang. Null PointerException because they are identified as empty pages.

Core Service:

• A ConstraintViolationException is produced when two different services try to delete the same stale session.

Export Service:

- Box Export: Removed the Timeout parameter during export.
- OpenText Content Server: The export takes too much time to finish if the output destination contains a very large number of nodes / business workspaces.
- The export service will not increase the export attempts in case a configuration parameter is missing and this will cause it to try indefinitely.
- Database Export: The export fails when a stored procedure contains more than 9 arguments.

Database:

• The could not advance using next() error is produced when two Clients try to open the same batch at the same time, using the Get Next Indexing task functionality.

Licensing:

• The Extraction tokens are consumed even in cases where no OCR/OMR takes place.

Job Setup:

• When duplicating a Document class, a cluster index zone will no longer be associated to the index fields.

Scan / Import:

• A specific kind of container PDF fails to be rasterized during import.

Fixed Issues in Info Input Solution v6.3.3:

Extraction / Intelligent OCR:

- ABBYY: The expiration token is not updated automatically and causes the engine to become idle after a day.
- ABBYY: The confidence indication is not displayed in some occasions.
- ABBYY: The full-page OCR is not working correctly when an Intelligent extraction profile is used.

Fixed Issues in Info Input Solution v6.3.2:

Core-Service:

- Inconsistent number of tasks is shown in the Select task to open and in Select task to index, when a serverside batch filtering is applied.
- The Folder Cleanup mechanism will run always and not only when the batch. age. threshold is set.

Fork / Join:

• When a task that was previously forked, is located on a step with custom Workflow permission(s),

attempting to open the Batch Info dialog, produces the following error: j avax. persi stence. Persi stenceException: org. hi bernate. exception. Generi cJDBCException: could not execute query

• A task that was previously forked, will remain in Ready state forever in an upcoming Fork step, if its structure is changed in the meantime.

Authentication Service:

• The authentication will fail when the incoming payload is too big.

HTML-Client:

- The error message errorCode: 1, message: 'HTTP connection error' will show up when dragging and dropping a folder into the Client.
- The Action type NewDocumentInFolder is not called when the function isContextActionEnabled is triggered.
- The Dialog *Close and get next batch to inder* will show up before the function endNodeI ndexi ng is triggered.

Export-Service:

- CSV Export: the text qualifier is not applied in list index fields.
- OpenText Content Server: Cannot export documents to folders under the Business Workspace object.

Thick-Client:

- The indexing pane may not show up in case a specific configuration with default numeric values is used.
- Job Configuration: the cursor focus is completely lost after a specific set of actions takes place.
- Test Index zone dialog: When changing the OCR engine and re-running the results, the extraction is not running if the profile is not authenticated.
- Test Index zone dialog: When changing the OCR engine and re-running the results, the Results sub-dialog is not paint correctly.

Extraction / Intelligent OCR:

• Hyperscience: the error message j ava. I ang. Null PointerException: null will show up when running with Intelligent OCR.

Fixed Issues in Info Input Solution v6.3.1:

HTML- Client:

• A user with no *Delete-Batch Manager* permission can still delete a batch.

3 Known Issues

Known issues in Info Input Solution v6.3:

Task Filtering:

- Get next task will be executed without any task filter, if the browser is refreshed.
- Next Task may run with a filter, even if a new batch was created using the new batch dialog.

Export Service:

• Images Export: The compression that is configured in the Job Setup, is not applied during export, when a tiff image is imported with LZW compression. Fixed in v.6.3.10.

Previously, when the source (originally imported) image was incompatible with JPEG compression (e.g. had transparency, 16bit channels, indexed, etc), and the Images Export output setting was TIFF with JPEG compression, the output compression would silently be changed to LZW to preserve as much as possible of the original information of the image. With this change, if the Images Export setting is TIFF with JPEG compression, the image will be converted appropriately to be JPEG-compressible to conform with selected settings, which means that some information (such as transparency) will be unavoidably lost during the conversion. For existing installations, if this is a problem and you wish to preserve maximum amount of original image information you need to explicitly specify TIFF with LZW compression in the Images Export output settings.

Please, make sure to test your Images export output settings to avoid long-term unwanted image storage loss of information.

4 Patch Deployment Instructions

The patch 6.3.11 is a cumulative patch and can be deployed on top of any 6.3.x patch level Application Server.

Steps for applying the patch:

a) Stop the application:

Windows: Use the Administration Utility (Services tab) to stop all running Windows Services, in the following order. Finally, close the Administration Utility window.

Linux: Stop the server-side processes, using the stop scripts or System V init-compatible scripts provided, in the following order.

- 1. Info Input Solution Import Server (if installed)
- 2. Info Input Solution Export (Release) Server
- 3. Info Input Solution Apache Tomcat Server
- b) Take a backup copy of the installation directory, and a backup of the database.
- c) Copy the patch distribution archive to the application server and extract the patch distribution archive to the installation directory. This step will overwrite some files and folders of the existing installation. When prompted, the user should confirm file (folder) replace.
- d) Some library (jar) files have been updated to latest version with Cumulative Patch 10, so the old version of these files must be removed from the installation directories. When upgrading from a version earlier than 6.3.5, this step can be executed once after the final Patch is applied. We provide the libs-cleanup.bat file (for Windows) and libs-cleanup.sh (for Linux) under:

<root_installation>\tools directory.

Windows environment: Open a new Command Prompt window with administrator permissions, change directory to <root_installation>\tools, run the libs-cleanup.bat file and follow the steps to verify the deletion.

Linux environment: Change directory to <root_installation>\tools, make sure the shell script file is executable (run chmod +x libs-cleanup.sh), run the cleanup file (./libs-cleanup.sh) and follow the steps to verify the deletion.

The deprecated jar files that must be removed after the deployment of patch 19 are the following:

1st set: pdfbox-2.0.24.jar, fontbox-2.0.24.jar, xmpbox-2.0.24.jar and jbig2-imageio-3.0.3.jar from folder(s):
<root_installation>\client\lib</root_installation>
<root_installation>\importd\lib</root_installation>
<root_installation>\released\lib</root_installation>
<root_installation>\service-html\WEB-INF\lib</root_installation>
2nd set: postgresql-42.2.23.jar from folder(s):
<root_installation>\server\WEB-INF\lib</root_installation>
<root_installation>\released\lib</root_installation>
3rd set: slf4j-api-1.5.8.jar and slf4j-log4j12-1.5.8.jar, from folder(s):
<root_installation>\server\WEB-INF\lib</root_installation>
4rd set: bardecode-8.3.3-patched-linux-x86-64.jar, from folder(s):

<root_installation>\importd\lib <root_installation>\server\WEB-INF\lib <root_installation>\service-html\WEB-INF\lib

- e) This patch may require a Database Schema upgrade.
 Start the Administration Utility: at startup, it automatically checks the active Database configuration and performs the required Database Schema upgrade.
 Note that, after a Database Schema upgrade, importing Jobs from a previous patch level is not supported.
- f) Start the application: start the Windows Services / server processes in the reverse order:
 - 1. Info Input Solution Apache Tomcat Server
 - 2. Info Input Solution Export (Release) Server
 - 3. Info Input Solution Import Server (if installed)

5 System & Environment Requirements

System requirements for the Info Input Solution Application Server:

CPU:

- Minimum requirement is 4 cores at 2GHz.
- For high volume systems, the recommended configuration is 12 cores @2.5+ GHz, or 12 cores of older / slower CPUs. Contact the Support team for the exact requirements according to the business case.
- When the Info Input Solution HTML Client is used by end-users, additional CPU is required for the HTML supporting service/process. The hardware specs depend on the use case and estimated load.
- When the Info Input Solution Classification and Extraction server-side engines are used in the Job Workflow(s), additional CPU is required for the Info Input Solution Core service/process. The hardware specs depend on the use case and estimated load.
- For virtual environments, features like Intel VT-x / VT-d and AMD V / Vi must be supported by the processors, activated on the machine, enabled in the Virtualization product and activated for the virtual machine.

Memory:

- Minimum memory size is 4 GB.
- Recommended memory size for high volume systems is 12 GB.

Operating System:

- Windows Server 2012 / 2016 / 2019 / 2022.
- Red Hat Enterprise Linux 7 / 8.
- SUSE Linux Enterprise Server 12 / 15.
- The above Operating Systems can be hosted on Google, AWS, Azure cloud providers.

Disk Storage:

- Single server installation: The recommended configuration is a dedicated disk array (RAID 5 or 10) either physically installed on the server, or exported over a dedicated high-speed Storage Area Network (SAN). The minimum configuration is a single disk, again either physically installed in the server, or exported over a SAN.
- Cluster installation: The recommended configuration is a dedicated Network Attached Storage (NAS) unit, using a file system native to the OS of the application servers, connected to the server over a dedicated high-speed network. The minimum configuration is a NAS that can be used by all nodes in the server cluster.
- SMB v3 compatible Windows Server file storage systems are supported.

Network:

- Single server: The recommended configuration is separate networks for HTTP, Database and storage traffic, if external storage is used. All networks should be at least 1 Gb and all nodes should be attached to the networks through switches. The minimum configuration for low volume systems is a single 1 Gb network.
- Server cluster: In addition to the single-server recommended configuration, the recommended configuration for a cluster is to provide additional networks for cluster heartbeat and reverse proxy to

cluster node HTTP traffic. The minimum configuration for low volume systems is a single 1 Gb network.

Software requirements for the Info Input Solution Application Server:

Apache Tomcat: version 9.0.60 64-bit (included in the installation package) or any tomcat version minor to 9.0.

Database:

- SQL Server 2014 / 2016 / 2017 / 2019.
- Oracle 11.2 / 12.1 / 18c / 19c.
- PostgreSQL 13 or later.
- Azure SQL Server.

Bundled Database in installer:

If during installation, you choose to install a new instance of SQL Server 2019 Express, the operating system must meet the minimum requirements:

- SQL Server 2019 installer will automatically install/enable Microsoft .NET Framework 4.6.
- Windows Server 2012 R2 require KB2919355 before installing .NET Framework 4.6.

For more information, see Hardware and Software Requirements for installing SQL Server 2017 at the Microsoft website.

Requirements for Thick Client

Before launching the Thick Client, make sure the user's workstation meets the following pre-requisites.

- Operating Systems: All supported Windows OS versions (Windows 8.1, 10, 11, 2012, 2016, 2019 and 2022, Windows 10 or 11 at Windows 365 Azure Cloud PC). The Thick Client can also be accessed through the Microsoft Azure Virtual Desktop application.
- All contemporary web browsers are supported: Google Chrome, MS Edge, MS Internet Explorer v11, Mozilla Firefox, Mozilla Firefox ESR.
- The Thick Client application is also offered through web browsers that support java plug in: MS Internet Explorer (v8 up to v11), Mozilla Firefox (v3.6 up to v51), Mozilla Firefox ESR (up to v52). Java Runtime Environment version 8, 32-bit and 64-bit, is also required in this case.

Requirements for HTML Client

Before launching the HTML Client application, make sure the user's workstation meets the following prerequisites.

- Operating Systems: All supported Windows OS versions (Windows 8.1, 10, 11, Windows Server 2012, 2016, 2019 and 2022, Windows 10 or 11 at Windows 365 Azure Cloud PC). The HTML Client can also be accessed through the Microsoft Azure Virtual Desktop application. All supported Mac OS versions.
- All contemporary web browsers are supported: Google Chrome v40+, MS Edge, MS Internet Explorer v11, Mozilla Firefox 40+, Mozilla Firefox ESR 40+, Apple Safari (on Mac OS).



October 2023 (ver. 6.3.11)

All trademarks and trade names used are the property of their respective holders.